

ITA INGENIEURGESELLSCHAFT FÜR TECHNISCHE AKUSTIK MBH BERATENDE INGENIEURE VBI

Max-Planck-Ring 49, 65205 Wiesbaden Phone 06122/95 61-0, Fax 06122/95 61-61 Email ita-wiesbaden@ita.de, Internet www.ita.de

Testing body recognized by the DIBT for the issue of general building authority test certificates VMPA-recognized sound insulation testing body in accordance with DIN 4109

Test point in accordance with Section 26 BlmSchG [German Federal Immission Control Act] for noises and vibrations

TEST REPORT

F-TRONIC POWER SOCKETS

TYPE SOUND INSULATION SP3700

INSTALLED IN A LIGHTWEIGHT WALL, D=155~MM

MEASUREMENT OF THE AIRBORNE SOUND INSULATION
IN ACCORDANCE WITH EN ISO 10 140

0123.16 - P 60/16

CONTRACTOR:

F-TRONIC GMBH ZUM GERLEN 21-25 66131 ENSHEIM

> 2016-06-29 kü/ko

f-tronic power sockets, type sound insulation SP3700 Lightweight wall, $d=155\,$ mm, separated drywall framework, cladding 2 x 12.5 mm Rigips DH Measurement of the airborne sound reduction in accordance with EN ISO 140



ITA INGENIEURGESELLSCHAFT FÜR TECHNISCHE AKUSTIK MBH BERATENDE INGENIEURE VBI

1. PURPOSE OF THE MEASUREMENTS

Testing had to be carried out whether the airborne sound insulation is impaired when opposing f-tronic power sockets (cavity wall sockets), type sound insulation SP3700, are installed in a lightweight wall (separated drywall framework, d=155 mm) 5 sound insulation sockets with switches/sockets and blind frames each were installed. Measurements of the airborne sound insulation of the lightweight wall with and without power sockets were carried out to determine the values

2. DATE OF MEASUREMENT

Installation: 2016-05-23, lightweight wall

2016-05-24, power sockets

Measurement: 2016-05-24, lightweight wall

2016-05-24, wall with power sockets

f-tronic power sockets, type sound insulation SP3700 Lightweight wall, d=155 mm, separated drywall framework, cladding 2 x 12.5 mm Rigips DH Measurement of the airborne sound reduction in accordance with EN ISO 140



ITA INGENIEURGESELLSCHAFT FÜR TECHNISCHE AKUSTIK MBH BERATENDE INGENIEURE VBI

3. TEST SET-UP

Lightweight wall, thickness 155 mm:

Cladding: 2 x 12.5 mm plasterboard Rigips DH (Rigips Die Harte),

Surface-related mass: $m' = 12.9 \text{ kg/m}^2$,

Screwed connection using Rigips drywall screw 3.5 x 25 / 3.5 x 35

1. position every 500 mm, position every 170 mm

Filling the boards with Rigips Vario joint filler

Profiles: 2 x UW 50 x 40 x 0,6, CW 50 x 50 x 06, into which the following are in-

serted:

40 mm mineral wool Rockwool Sonorock, length-related flow resistance \geq 6 kPa x s/m²,

Distance of the profiles approx. 5 mm

Arrangement of the power sockets, type sound insulation SP3700, in the lightweight wall:

Quantity: 5 power sockets, of which are 2 equipped with empty conduits, arranged

under each other (see photos),

Source room 3 x switches and 2 x sockets,

Receiving room 4 x switches and 1 x socket

Arrangement: on both sides opposite each other (see Appendixes 2 to 5)

The technical data sheet of the sound insulation socket is included in Appendix 5.

f-tronic power sockets, type sound insulation SP3700 Lightweight wall, $d=155\,$ mm, separated drywall framework, cladding 2 x 12.5 mm Rigips DH Measurement of the airborne sound reduction in accordance with EN ISO 140



ITA INGENIEURGESELLSCHAFT FÜR TECHNISCHE AKUSTIK MBH BERATENDE INGENIEURE VBI

4. TEST ARRANGEMENT

The delivery and the installation of the lightweight wall in the wall test bench P-W1 with suppressed flanking transmission took place through a drywall construction company appointed by the contractor. The sound insulation sockets were installed in the lightweight wall by the contractor.

The test stand sketch with schematic representation of the wall is shown in Appendix 1. The maximum sound reduction index of the test bench was determined by the installation of the lightweight wall in accordance with EN ISO 10 140-1 [1].

The maximum weighted sound reduction index of the test bench referenced to the test area of 13.42 m^2 amounts to

$$R'_{w,max} = 69 \text{ dB}.$$

f-tronic power sockets, type sound insulation SP3700 Lightweight wall, d = 155 mm, separated drywall framework, cladding 2 x 12.5 mm Rigips DH Measurement of the airborne sound reduction in accordance with EN ISO 140



ITA INGENIEURGESELLSCHAFT FÜR TECHNISCHE AKUSTIK MBH BERATENDE INGENIEURE VBI

5. <u>MEASURING METHOD</u>

5.1 Applied standards

- [1] EN ISO 10 140:2010-05 "Measurement of the noise insulation of building parts in test bench"
 - 2014-09, Part 1 "Application rules for specific products"
 - 2010-12, Part 2 "Measurement of the airborne sound insulation"
 - 2010-12, Part 4 "Measuring methods and requirements"
 - 2014-09, Part 5 "Requirements at test benches and test devices"
- [2] EN ISO 3382:2008-09 "Acoustics Measurement of room acoustics parameters"
- [3] EN ISO 717:2013-06 "Rating of sound insulation in buildings and of building elements"
 - Part 1 "Airborne sound insulation"
- [4] EN ISO 12 999-1:2014-09 "Acoustics Determination and application of the measurement uncertainties in building acoustics part 1: Sound insulation".

f-tronic power sockets, type sound insulation SP3700 Lightweight wall, d=155 mm, separated drywall framework, cladding 2 x 12.5 mm Rigips DH Measurement of the airborne sound reduction in accordance with EN ISO 140



ITA INGENIEURGESELLSCHAFT FÜR TECHNISCHE AKUSTIK MBH BERATENDE INGENIEURE VBI

5.2 Determination of the sound insulation

The tests were performed in accordance with EN ISO 10 140 "Measurement of the sound insulation of building parts in the test bench", Part 2 "Measurement of the airborne sound insulation".

The sound insulation index R' was determined in accordance with the following equations:

$$R'_{i} = D_{i} + 10 \log \frac{S}{A} \text{ in dB}$$
 [1]

$$R' = -10 \log \frac{1}{m} \sum_{j=1}^{m} 10^{-R_j^2/10} \text{ in dB}$$
 [2]

Whereby the following applies:

 R'_i = Sound reduction index for speaker position j

D_i = Level difference of the energetically determined sound pressure levels between source and receiving room in dB for speaker position j

S = Area of the joint partition component in m^2

A = Equivalent absorption area of the receiving room in m^2

m = Number of speaker positions.

The determination of the sound pressure level took place at fifteen microphone positions for three loudspeaker positions. The energetically taken mean of the sound pressure level

f-tronic power sockets, type sound insulation SP3700 Lightweight wall, d = 155 mm, separated drywall framework, cladding 2 x 12.5 mm Rigips DH Measurement of the airborne sound reduction in accordance with EN ISO 140



ITA INGENIEURGESELLSCHAFT FÜR TECHNISCHE AKUSTIK MBH BERATENDE INGENIEURE VBI

was determined from the results. The integration time per measuring position amounted to 20 s respectively.

The basic noise level was sufficiently low, so that no corresponding correction in accordance with EN ISO 10 140-4 was required.

The equivalent absorption area was determined from a reverberation measurement in accordance with the relationship

$$A = 0.16 \frac{V}{T} \text{ in } m^2.$$

Whereby the following applies:

V = Volume of the receiving room in m^3 , in the present case V = 51.1 m^3

T = Reverberation time in s.

The reverberation time was determined in accordance with the specifications of EN ISO 10 140-4, Section 4.6.2 "Measurement of the reverberation time". This references ISO 3382-2 "Reverberation time in ordinary rooms".

The procedure with switched off noise was used. Two reverberation times each were recorded at the microphone individual positions. The arithmetic mean was formed from the individual measured values.

f-tronic power sockets, type sound insulation SP3700 Lightweight wall, d=155 mm, separated drywall framework, cladding 2 x 12.5 mm Rigips DH Measurement of the airborne sound reduction in accordance with EN ISO 140



ITA INGENIEURGESELLSCHAFT FÜR TECHNISCHE AKUSTIK MBH BERATENDE INGENIEURE VBI

The weighted sound insulation index R_w as well as the spectrum adjustment values C and C_{tr} were determined in accordance with ISO 717-1, German version DIN EN ISO 717-1 "Evaluation of the sound insulation in buildings and parts", Part 1 "Airborne sound insulation".

With regard to the repeatability standard deviation σ_r and the reproducibility standard deviation σ_R , reference is made to Tables 2 and 3 of EN ISO 12 999-1 "Measuring the sound insulation index in buildings and building elements".

The results in the frequency range of 50 Hz to 80 Hz are influenced by the geometrical circumstances of the test bench. The display of these measured values is for information purposes only.

f-tronic power sockets, type sound insulation SP3700 Lightweight wall, $d=155\,$ mm, separated drywall framework, cladding 2 x 12.5 mm Rigips DH Measurement of the airborne sound reduction in accordance with EN ISO 140



ita ingenieurgesellschaft für technische akustik mbh Beratende ingenieure vbi

6. MEASURING DEVICES

Designation	Туре	Serial Number
Two-channel real time analyzer (calibrated up to and including 2016)	Norsonic 840	18670
in combination with: Condenser microphone (channel 1)	Norsonic 1220	16595
Microphone preamplifier (channel 1)	Norsonic 1201	19101
Condenser microphone (channel 2)	Norsonic 1220	27616
Microphone preamplifier (channel 2)	Norsonic 1201	19102
Pistonphone	B+K 4220	1297614
Speaker combination (dodecahedron)	Norsonic 229	26861
Power amplifier	Norsonic 235	17668
Thermal hygrometer	Lambrecht 202	

The measuring devices were calibrated before and after the measurements. There were no deviations.

f-tronic power sockets, type sound insulation SP3700 Lightweight wall, $d=155\,$ mm, separated drywall framework, cladding 2 x 12.5 mm Rigips DH Measurement of the airborne sound reduction in accordance with EN ISO 140



ITA INGENIEURGESELLSCHAFT FÜR TECHNISCHE AKUSTIK MBH BERATENDE INGENIEURE VBI

7. MEASURING RESULTS

The results are displayed as a graphic in Appendix 6 and 7 and as a comparison in Appendix 8. The following table contains the weighted sound reduction index $R_{w,P}$ (test bench value).

Table: Weighted sound reduction index R_{w,P} (test bench value)

App. No.	Test set-up	Weighted sound reduction index $R_{w,P}$ in dB
6	Lightweight wall, d = 155 mm Without power sockets	62 (62.8)
7	Lightweight wall with 5 power sockets each, type sound insulation SP3700, in source and receiving room arranged opposite each other	63 (63.0)

The determined single digit specification that there is no significant deterioration in the sound reduction index through the installation of 5 noise insulation sockets arranged opposite each other.

f-tronic power sockets, type sound insulation SP3700 Lightweight wall, d = 155 mm, separated drywall framework, cladding 2 x 12.5 mm Rigips DH Measurement of the airborne sound reduction in accordance with EN ISO 140



ita ingenieurgesellschaft für technische akustik mbh Beratende ingenieure vbi

8. **GENERAL REMARKS**

The results reference solely the tested objects.

The test report may only be published or duplicated without our consent if the form and content remain unchanged. Excerpts may only be reproduced with our consent.

THIS REPORT ENCOMPASSES 10 PAGES AND 8 APPENDIXES.

Kühn

WIESBADEN, ON 2016-06-29

ITA INGENIEURGESELLSCHAFT FÜR TECHNISCHE AKUSTIK MBH

ACOUSTIC LABORATORIES f-tronic power sockets, type sound insulation SP3700

Contractor: f-tronic GmbH


Zum Gerlen 21-25, 66131 Ensheim




WALL TEST BENCH IN ACCORDANCE WITH EN ISO 10140 - PW1

INSTALLATION OF THE TEST OBJECT SCHEMATIC









ITA INGENIEURGESELLSCHAFT FÜR TECHNISCHE AKUSTIK MBH

ARCHITECTURAL AND ROOM ACOUSTICS \cdot NOISE IMMISSION CONTROL \cdot THERMAL BUILDING PHYSICS SUITABILITY AND QUALITY TESTING BODY FOR SOUND INSULATION IN BUILDING CONSTRUCTION MAX-PLANCK-RING 49 \cdot 65205 WIESBADEN \cdot PHONE 06122/9561-0 \cdot FAX 06122/956161

MAX-PLANCK-RING 49 · 65205 WIESBADEN · PHONE 06122/9561-0 · FAX 06122/956161 APPENDIX 1 TO THE REPORT 0123.16 - P 60/16 OF 2016-06-29

f-tronic power sockets, type sound insulation SP3700

Contractor: f-tronic GmbH


Zum Gerlen 21-25, 66131 Ensheim



Arrangement of the power sockets, type sound insulation SP3700, in a lightweight wall Quantity: Source room with 3 x switches and 2 x sockets,

Receiving room with 4 x switches and 1 x socket

Metal stud partition with plasterboard cladding, d = 155 mm



Dimensions specified in mm

Installation of the sound insulation sockets with switches, sockets and frames, installed opposite each other in the source room

ITA INGENIEURGESELLSCHAFT FÜR TECHNISCHE AKUSTIK MBH

ARCHITECTURAL AND ROOM ACOUSTICS · NOISE IMMISSION CONTROL · THERMAL BUILDING PHYSICS SUITABILITY AND QUALITY TESTING BODY FOR SOUND INSULATION IN BUILDING CONSTRUCTION MAX-PLANCK-RING 49 · 65205 WIESBADEN · PHONE 06122/9561-0 · FAX 06122/956161 APPENDIX 2 TO THE REPORT 0123.16 – P 60/16 OF 2016-06-29

f-tronic power sockets, type sound insulation SP3700

Contractor: f-tronic GmbH

Zum Gerlen 21-25, 66131 Ensheim



Arrangement of the sound insulation sockets in the source room





ARCHITECTURAL AND ROOM ACOUSTICS · NOISE IMMISSION CONTROL · THERMAL BUILDING PHYSICS SUITABILITY AND QUALITY TESTING BODY FOR SOUND INSULATION IN BUILDING CONSTRUCTION MAX-PLANCK-RING 49 · 65205 WIESBADEN · PHONE 06122/9561-0 · FAX 06122/956161 APPENDIX 3 TO THE REPORT 0123.16 – P 60/16 OF 2016-06-29

f-tronic power sockets, type sound insulation SP3700

Contractor: f-tronic GmbH

Zum Gerlen 21-25, 66131 Ensheim



Arrangement of the sound insulation sockets in the receiving room





ARCHITECTURAL AND ROOM ACOUSTICS · NOISE IMMISSION CONTROL · THERMAL BUILDING PHYSICS SUITABILITY AND QUALITY TESTING BODY FOR SOUND INSULATION IN BUILDING CONSTRUCTION MAX-PLANCK-RING 49 · 65205 WIESBADEN · PHONE 06122/9561-0 · FAX 06122/956161 2016-06-29

APPENDIX 4 TO THE REPORT 0123.16 – P 60/16


f-tronic power sockets, type sound insulation SP3700

Contractor: f-tronic GmbH

Zum Gerlen 21-25, 66131 Ensheim



System drawing of the contractor



ARCHITECTURAL AND ROOM ACOUSTICS · NOISE IMMISSION CONTROL · THERMAL BUILDING PHYSICS SUITABILITY AND QUALITY TESTING BODY FOR SOUND INSULATION IN BUILDING CONSTRUCTION MAX-PLANCK-RING 49 · 65205 WIESBADEN · PHONE 06122/9561-0 · FAX 06122/956161 APPENDIX 5 TO THE REPORT 0123.16 – P 60/16 OF 2016-06-29